Hospital CAHPS XML File Specification Version 3.9

This XML file specification (Version 3.9) applies to **3Q 2017 discharges and forward**.

Each file submission will represent one month of survey data for each hospital.

An HCAHPS XML file is made up of 3 parts: 1) header record 2) administrative data record 3) survey results record. There should be only one header record for each HCAHPS XML file. Each patient within the HCAHPS XML file should have an administrative data record, and if survey results are being submitted for the patient, they should have the survey results record.

Each field (except fields **strata-name**, **dsrs-eligible**, **dsrs-samplesize** and **npi** - see data element description for more details) of the header record and administrative data requires an entry for a valid data submission.

Survey results records are not required for a valid data submission but if survey results are included, then all answers must have an entry. Survey results records are required if the final <survey-status> is "1 - Completed survey" or "6 - Non-response: Break off".

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required				
<monthlydata></monthlydata>		ing element of the file. The closing tag for this element								
		ibe the element and are included within the opening an	d closing <>							
Opening Tag, defines the monthly		nould be defined with its attributes as shown below -		_						
survey data	<monthlydata< td=""><td colspan="9"><monthlydata xmlns="http://hcahps.ifmc.org" xmlns:xsi="http://www.w3.org/2017/XMLSchema-instance"></monthlydata></td></monthlydata<>	<monthlydata xmlns="http://hcahps.ifmc.org" xmlns:xsi="http://www.w3.org/2017/XMLSchema-instance"></monthlydata>								
	See example.	N/A	N/A	NA	N/A	Yes				
The following section defines the form	nat of the heade	er record.			1	1				
<header></header>	This is the oper	ing element of the header record. The closing tag for t	his element will be at the end of the	header record. I	Note: Th	is tag is				
		KML document, however, it contains no data. This hear				<u> </u>				
Opening Tag, defines the header record of monthly survey data	•	N/A	N/A	NA	N/A	Yes				
of monthly survey data		hust have a closing tag that is the same as the opening								
<pre><pre><pre><pre><pre><pre>Sub-element of header</pre></pre></pre></pre></pre></pre>	per file.	vider-name>Sample Hospital Name of the hospital represented by the survey.	N/A	Alphanumeric Character		Yes				
<pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>		Inust have a closing tag that is the same as the opening	tag but with a forward slash. This h	eader element wi	ll occur a	ngain as an				
Sub-element of header	administration data element in the patient level data record. Example: <pre>cprovider-id</pre>									
	None	ID number of the hospital represented by the survey.	Valid 6 digit CMS Certification Number (formerly known as Medicare Provider Number).	Alphanumeric Character	10	Yes				
<npi></npi>		nust have a closing tag that is the same as the opening		header element s	hould on	ly occur				
Sub-element of header	once per file. This is an optional data element at this time but may be required in the future. Example: <npi>1234567890</npi>									
	None	National Provider Identifier	Valid 10 digit National Provider Identifier.	Numeric	10	No				

Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required			
Each element must have a closing tag that is the same as the opening tag but with a forward slash. This header element will occur again as an administration data element in the patient level data record. Example: <discharge-yr>2017</discharge-yr>								
None		YYYY YYYY = (2017 or greater) (cannot be 9999)	Numeric	4	Yes			
administration of	Each element must have a closing tag that is the same as the opening tag but with a forward slash. This header element will occur again as an administration data element in the patient level data record. Example: closer-4 discharge-month>1							
None			Numeric	2	Yes			
once per file. N	ote: The Survey Mode must be the same for all three m		header data eleme	ent should	d only occur			
None		1 - Mail only	Alphanumeric	1	Yes			
		2 - Telephone only	Character					
	month of data, you have the ability to re-upload that	3 - Mixed mode						
	However, once you have uploaded data for two							
	Each element radministration of Example: <dis <dis="" <sur<="" each="" element="" example:="" file.="" nample:="" none="" of="" per="" radministration="" ronce="" td=""><td>Each element must have a closing tag that is the same as the opening administration data element in the patient level data record. Example: <discharge-yr>2017</discharge-yr> None Year patient was discharged from the hospital. Each element must have a closing tag that is the same as the opening administration data element in the patient level data record. Example: <discharge-month>1</discharge-month> None Month patient was discharged from the hospital. Each element must have a closing tag that is the same as the opening once per file. Note: The Survey Mode must be the same for all three m Example: <survey-mode>1 None Mode of survey administration. Survey Mode must be the same for all three months within a quarter. Once you have uploaded your first month of data, you have the ability to re-upload that month and change the survey mode if you'd like. However, once you have uploaded data for two months within a given quarter, you are locked into that</survey-mode></td><td>Each element must have a closing tag that is the same as the opening tag but with a forward slash. This administration data element in the patient level data record. Example: <discharge-yr>2017</discharge-yr> None Year patient was discharged from the hospital. Yyyy</td><td>Each element must have a closing tag that is the same as the opening tag but with a forward slash. This header element wi administration data element in the patient level data record. Example: <discharge-yr>2017</discharge-yr> None Year patient was discharged from the hospital. YYYY (2017 or greater) (cannot be 9999) Each element must have a closing tag that is the same as the opening tag but with a forward slash. This header element wi administration data element in the patient level data record. Example: <discharge-month>1</discharge-month> None Month patient was discharged from the hospital. MM (1-12) (cannot be 00, 13-99) Each element must have a closing tag that is the same as the opening tag but with a forward slash. This header data eleme once per file. Note: The Survey Mode must be the same for all three months within a quarter. Example: <survey-mode>1 - Mail only 2 - Telephone only 3 - Mixed mode 4 - IVR Alphanumeric Character Character Alphanumeric Character</survey-mode></td><td>Each element must have a closing tag that is the same as the opening tag but with a forward slash. This header element will occur a administration data element in the patient level data record. Example: <discharge-yr>2017 None Year patient was discharged from the hospital. YYYY YYYY = (2017 or greater) (cannot be 9999) Each element must have a closing tag that is the same as the opening tag but with a forward slash. This header element will occur a administration data element in the patient level data record. Example: <discharge-month>1 MM MM = (1-12) (cannot be 00, 13-99) Numeric 2 None Month patient was discharged from the hospital. None Patient level data record. Example: <discharge-month> = closing tag that is the same as the opening tag but with a forward slash. This header data element should once per file. Note: The Survey Mode must be the same for all three months within a quarter. Example: <survey-mode> = closing tag that is the same for all three months within a quarter. Survey-mode> = closed into that within a quarter. Survey administration. Survey Mode must be the same for all three months within a quarter. Once you have uploaded your first month of data, you have the ability to re-upload that month and change the survey mode if you'd like. However, once you have uploaded data for two months within a quarter, you are locked into that within a given quarter, you are locked into that within a given quarter, you are locked into that within a given quarter, you are locked into that within a given quarter, you are locked into that within a given quarter, you are locked into that within a given quarter, you are locked into that within a given quarter, you are locked into that within a given quarter, you are locked into that within a given quarter, you are locked into that within a given quarter, you are locked into that within a given quarter, you are locked into that within a given quarter, you are locked into that within a given quart</survey-mode></discharge-month></discharge-month></discharge-yr></td></dis>	Each element must have a closing tag that is the same as the opening administration data element in the patient level data record. Example: <discharge-yr>2017</discharge-yr> None Year patient was discharged from the hospital. Each element must have a closing tag that is the same as the opening administration data element in the patient level data record. Example: <discharge-month>1</discharge-month> None Month patient was discharged from the hospital. Each element must have a closing tag that is the same as the opening once per file. Note: The Survey Mode must be the same for all three m Example: <survey-mode>1 None Mode of survey administration. Survey Mode must be the same for all three months within a quarter. Once you have uploaded your first month of data, you have the ability to re-upload that month and change the survey mode if you'd like. However, once you have uploaded data for two months within a given quarter, you are locked into that</survey-mode>	Each element must have a closing tag that is the same as the opening tag but with a forward slash. This administration data element in the patient level data record. Example: <discharge-yr>2017</discharge-yr> None Year patient was discharged from the hospital. Yyyy	Each element must have a closing tag that is the same as the opening tag but with a forward slash. This header element wi administration data element in the patient level data record. Example: <discharge-yr>2017</discharge-yr> None Year patient was discharged from the hospital. YYYY (2017 or greater) (cannot be 9999) Each element must have a closing tag that is the same as the opening tag but with a forward slash. This header element wi administration data element in the patient level data record. Example: <discharge-month>1</discharge-month> None Month patient was discharged from the hospital. MM (1-12) (cannot be 00, 13-99) Each element must have a closing tag that is the same as the opening tag but with a forward slash. This header data eleme once per file. Note: The Survey Mode must be the same for all three months within a quarter. Example: <survey-mode>1 - Mail only 2 - Telephone only 3 - Mixed mode 4 - IVR Alphanumeric Character Character Alphanumeric Character</survey-mode>	Each element must have a closing tag that is the same as the opening tag but with a forward slash. This header element will occur a administration data element in the patient level data record. Example: <discharge-yr>2017 None Year patient was discharged from the hospital. YYYY YYYY = (2017 or greater) (cannot be 9999) Each element must have a closing tag that is the same as the opening tag but with a forward slash. This header element will occur a administration data element in the patient level data record. Example: <discharge-month>1 MM MM = (1-12) (cannot be 00, 13-99) Numeric 2 None Month patient was discharged from the hospital. None Patient level data record. Example: <discharge-month> = closing tag that is the same as the opening tag but with a forward slash. This header data element should once per file. Note: The Survey Mode must be the same for all three months within a quarter. Example: <survey-mode> = closing tag that is the same for all three months within a quarter. Survey-mode> = closed into that within a quarter. Survey administration. Survey Mode must be the same for all three months within a quarter. Once you have uploaded your first month of data, you have the ability to re-upload that month and change the survey mode if you'd like. However, once you have uploaded data for two months within a quarter, you are locked into that within a given quarter, you are locked into that within a given quarter, you are locked into that within a given quarter, you are locked into that within a given quarter, you are locked into that within a given quarter, you are locked into that within a given quarter, you are locked into that within a given quarter, you are locked into that within a given quarter, you are locked into that within a given quarter, you are locked into that within a given quarter, you are locked into that within a given quarter, you are locked into that within a given quarter, you are locked into that within a given quart</survey-mode></discharge-month></discharge-month></discharge-yr>			

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required		
<determination-of-service-line></determination-of-service-line>	Each element must have a closing tag that is the same as the opening tag but with a forward slash. This header data element should only occur once per file.							
Sub-element of header	Example: <determination-of-service-line>1</determination-of-service-line>							
	None	Methodology used by a facility to determine whether a patient falls into one of the three service line categories eligible for HCAHPS survey.	V.29, V.28, V.27, V.26, or V.25 MS DRG codes 2 - CMS V.24 DRG codes	Numeric	1	Yes		
			3 - Mix of V.34, V.33, V.32, V.31, V.30, V.29, V.28, V.27, V.26, V.25 or V.24 codes based on payer source or a mix of MS-DRG and APR-DRG codes					
			4 - ICD-10 or ICD-9 codes 5 - Hospital unit 6 - New York State DRGs/APR-DRGs					
			7 - Other - Approved Exceptions Request only					
<number-eligible-discharge> Sub-element of header</number-eligible-discharge>	per file.	nust have a closing tag that is the same as the opening mber-eligible-discharge>650 <td></td> <td>eader element sh</td> <td>ould only</td> <td>/ occur once</td>		eader element sh	ould only	/ occur once		
	None	Number of eligible patients discharged from the hospital for the month.	N/A	Numeric	10	Yes		
<sample-size> Sub-element of header</sample-size>	Each element must have a closing tag that is the same as the opening tag but with a forward slash. This header element should only occur once per file. Example: <sample-size>600</sample-size>							
	None	Number of eligible patients drawn into the sample for survey administration.	N/A	Numeric	10	Yes		

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required		
<sample-type> Sub-element of header</sample-type>	once per file. No Example: <san< td=""><td>nust have a closing tag that is the same as the opening ote: Sample Type must be the same for all three month. nple-type>3</td><td>s within a quarter</td><td></td><td>ould onl</td><td>y occur</td></san<>	nust have a closing tag that is the same as the opening ote: Sample Type must be the same for all three month. nple-type>3	s within a quarter		ould onl	y occur		
	None	Sample type must be the same for all three months within a quarter. Once you have uploaded your first month of data, you have the ability to re-upload that month and change the sample type if you'd like. However, once you have uploaded data for two months within a given quarter, you are locked into that sample type and cannot change it for that quarter.	Proportionate stratified random sample Disproportionate stratified	Numeric	1	Yes		
<dsrs-strata> Sub-element of header</dsrs-strata>	This is the beginning tag for the section that is used to collect data elements for sample type of Disproportionate Stratified Random Sample (DSRS). This tag is only used if the sampling type is DSRS (sample-type = 3). If the sampling type is DSRS, the XML file must include one tdsrs-strata tag for each strata being defined. This tag should not be included in the XML file if the sampling type utilized is not DSRS. Each tel:classes-strata section, must have one each of the following associated data elements as shown below - Example: The following is an example that displays two strata being defined - tel:classes-strata tel:classes-strata 							

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required				
<strata-name> Sub-element of dsrs-strata</strata-name>	each strata defi should not be	Each element must have a closing tag that is the same as the opening tag but with a forward slash. There should be one <strata-name> tag for each strata defined. This data element, which belongs to the <dsrs-strata> section, should only occur once per <dsrs strata=""> section. This tag should not be included in the XML file if the sampling type utilized is not DSRS. Example: <strata-name>strata one</strata-name></dsrs></dsrs-strata></strata-name>								
	None	If sample type selected is Disproportionate Stratified Random Sample, then at least two strata names have to be defined. No two strata names can be the same within one file. Strata names must be the same for all three months within a quarter. Once you have uploaded your first month of data, you have the ability to re-upload that month and change the strata names if you'd like. However, once you have uploaded data for two months within a given quarter, you are locked into those strata names and cannot change them for that quarter. Strata names can be changed, added or deleted in subsequent quarters.		Alphanumeric Character	45	No. Required only if sample- type is DSRS.				
<dsrs-eligible> Sub-element of dsrs-strata</dsrs-eligible>	each strata defi should not be	nust have a closing tag that is the same as the opening ned. This data element which belongs to the <dsrs-stratincluded file="" if="" in="" s-eligible="" sampling="" the="" type="" utilized="" xml="">650</dsrs-stratincluded>	ta> section, should only occur once							
	None	If disproportionate stratified random sample is utilized, this is the number of eligible patients within the associated strata.	NA	Numeric		No. Required only if sample- type is DSRS.				
<dsrs-samplesize> Sub-element of dsrs-strata</dsrs-samplesize>	for each strata of tag should not	bust have a closing tag that is the same as the opening defined. This data element which belongs to the <dsrs-s be="" file="" if="" in="" included="" s-samplesize="" sampling="" the="" type="" util="" xml="">650</dsrs-s>	strata> section, should only occur on							
	None	If disproportionate stratified random sample is utilized, this is the number of sampled patients within the associated strata.	NA	Numeric	10	No. Required only if sample- type is DSRS.				

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required	
<pre> Closing tag for dsrs-strata</pre>	None	Note: This closing tag is required in the XML documer sample," however, it contains no data. This closing tag		• •	tratified	random	
<pre> Closing tag for header</pre>	None	Note: This closing element for the header is required should only occur once per file.	in the XML document, however, it co	ontains no data	This hea	der element	
The following section defines the form	nat of the patier	t level data record.					
Opening Tag, defines the patient level data record of monthly survey data	Note: The <pati <patientleveldate<="" p=""></pati>	ing element of the patient level data record. The closing entleveldata> section includes the opening and closing a> section is required in the XML file, if at least one pat, the <patientleveldata> section should not be included</patientleveldata>	<patientleveldata> tags and all the tient is being submitted. If the <sam< p=""></sam<></patientleveldata>	tags between the ple-size> is 0, and	se two ta d no pat	ags. The ient data is	
	None	N/A	N/A	NA	N/A	Yes	
An administrative data record is requi	red for each pa	tient as follows:					
Opening Tag, defines the administrative	Note: There will <administration:< td=""><td>ing element of the administrative record. The closing to be one <administration> section for each patient. The tags and all the tags between these two tags. This <a <administration=""> element should only occur once per p</administration></td><td><administration> section includes the dministration> section is required in</administration></td><td>e opening and cl</td><td>osing</td><td></td></administration:<>	ing element of the administrative record. The closing to be one <administration> section for each patient. The tags and all the tags between these two tags. This <a <administration=""> element should only occur once per p</administration>	<administration> section includes the dministration> section is required in</administration>	e opening and cl	osing		
	None	N/A	N/A	NA	N/A	Yes	
	Each element must have a closing tag that is the same as the opening tag but with a forward slash. This administration element also occurs in the previous header record. Example: <pre>cprovider-id>123456</pre>						
patientleveldata:administration	None	ID number of the hospital represented by the survey.	Valid 6 digit CMS Certification Number (formerly known as Medicare Provider Number).	Alphanumeric Character	10	Yes	

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required			
<pre><discharge-yr> Sub-element of patientleveldata:administration</discharge-yr></pre>	the header reco	Each element must have a closing tag that is the same as the opening tag but with a forward slash. This administration element also occurs in the header record. Example: <discharge-yr>2017</discharge-yr>							
	None	Year patient was discharged from the hospital.	YYYY YYYY = (2017 or greater) (cannot be 9999)	Numeric	4	Yes			
<pre><discharge-month> Sub-element of</discharge-month></pre>	the header reco	Each element must have a closing tag that is the same as the opening tag but with a forward slash. This administration element also occurs in the header record. Example: <discharge-month>1</discharge-month>							
patientleveldata:administration	None	Month patient was discharged from the hospital.	MM MM = (1 - 12) (cannot be 00, 13 - 99)	Numeric	2	Yes			
<pre><patient-id> Sub-element of patientleveldata:administration</patient-id></pre>	Each element must have a closing tag that is the same as the opening tag but with a forward slash. This administration element should only occur once per patient. Example: <patient-id>12345</patient-id>								
	None	Unique de-identified patient id assigned by the provider to uniquely identify the survey.	N/A	Alphanumeric Character	16	Yes			

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Reguired			
<admission-source></admission-source>	occur once per	•	tag but with a forward slash. This ac	dministration data	elemen	should only			
Point of Origin for Admission or Visit	Example: <admission-source></admission-source>								
	None	Source of inpatient admission for the patient. (same as UB-04 field location 15)	1 - Nonhealthcare Facility Point of Origin	Alphanumeric Character	1	Yes			
			2 - Clinic or Physician's Office	1					
			4 - Transfer from a hospital (Different Facility)						
			5 - Transfer from a SNF, ICF or ALF						
			6 - Transfer from another Healthcare Facility						
			8 - Court/Law Enforcement	1					
			9 - Information not available	sfer from one distinct unit					
			D - Transfer from one distinct unit						
			of the hospital to another distinct unit of the same hospital resulting						
			in a separate claim to the payer						
			E - Transfer from Ambulatory	-					
			Surgery Center						
<pre><principal-reason-admission></principal-reason-admission></pre>	occur once per	nust have a closing tag that is the same as the opening patient. Note: If possible the Service Line should r		dministration data		should only xample:			
Sub-element of		son-admission>1		_					
patientleveldata:administration	None	Assignment of HCAHPS Service Line category.	1 - Maternity Care	Alphanumeric Character	1	Yes			
			2 - Medical	Character					
			3 - Surgical	1					
			M - Missing	1					

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required			
<pre><discharge-status> Sub-element of</discharge-status></pre>	Each element must have a closing tag that is the same as the opening tag but with a forward slash. This administration data element should only occur once per patient. Note: Patients with a Discharge Status of "Expired" (codes 20, 40, 41, or 42) must not be coded as having "Complete" surveys."								
patientleveldata:administration	Example: <dis< td=""><td>charge-status>66</td><td></td><td></td><td></td><td></td></dis<>	charge-status>66							
	None	location 17)	1 - Home care or self care 2 - Short-term general hospital for inpatient care	Alphanumeric Character	2	Yes			
			3 - Medicare certified skilled nursing facility						
			4 - Intermediate care facility						
			5 - Designated cancer center or children's hospital						
			6 - Home with home health services						
			7 - Left against medical advice						
			20 - Expired						
			21 - Discharged/transferred to court/law enforcement						
			40 - Expired at Home						
			41 - Expired in medical facility						
			42 - Expired, Place Unknown	- - -					
			43 - Federal healthcare facility						
			50 - Hospice - home						
			51 - Hospice - medical facility						
			61 - Medicare-approved swing bed within hospital						
			62 - Inpatient rehabilitation facility						
			63 - Long-term care hospital						
			64 - Medicaid certified nursing facility						
			65 - Psychiatric hospital or psychiatric unit						

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required
<discharge-status> Sub-element of patientleveldata:administration (cont'd)</discharge-status>	None	Status of patient's discharge. (same as UB-04 field location 17)	66 - Critical Access Hospital 69 - Discharged/transferred to a designated disaster alternative care site (An alternate care site (ACS) provides basic patient care during a disaster response to a population that would otherwise be hospitalized or in a similar level of dependent care if those rescores were available during the disaster. The federal government or state government must declare the disaster. ACS is not an institution; most likely it would be an armory or stadium.)	Alphanumeric Character	2	Yes
		C E E E E E E E E E	70 - Discharge/transfer to a health care institution not defined elsewhere in the code list 81 - Discharged to home or self care with a planned acute care hospital inpatient readmission			
			82 - Discharged/transferred to a short term general hospital for inpatient care with a planned acute care hospital inpatient readmission			
			83 - Discharged/transferred to a Medicare certified skilled nursing facility (SNF) with a planned acute care hospital inpatient readmission			
		84 - Discharged/transferred to a facility that provides custodial or supportive care with a planned acute care hospital inpatient readmission				

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required
<pre><discharge-status> Nor Sub-element of patientleveldata:administration</discharge-status></pre>		location 17) de character region reg	85 - Discharged/transferred to a designated cancer center or children's hospital with a planned acute care hospital inpatient readmission	Alphanumeric Character	2	Yes
			86 - Discharged/transferred to home under care of organized home health service organization with planned acute care hospital inpatient readmission			
			87 - Discharged/transferred to court/law enforcement with a planned acute care hospital inpatient readmission			
			88 - Discharged/transferred to federal health care facility with a planned acute care hospital inpatient readmission			
			89 - Discharged/transferred to a hospital-based Medicare approved swing bed with a planned acute care hospital inpatient readmission	n r)		
			90 - Discharged/transferred to an inpatient rehabilitation facility (IRF) including rehabilitation distinct part units of a hospital with a planned acute care hospital inpatient readmission			
			91 - Discharged/transferred to a Medicare certified long term care hospital (LTCH) with a planned acute care hospital inpatient readmission			

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required	
<pre><discharge-status> Sub-element of patientleveldata:administration</discharge-status></pre>	None	Status of patient's discharge. (same as UB-04 field location 17)	92 - Discharged/transferred to a Medicaid certified nursing facility not certified under Medicare with a planned acute care hospital inpatient readmission	Alphanumeric Character	2	Yes	
			93 - Discharged/transferred to a psychiatric distinct part unit of a hospital with a planned acute care hospital inpatient readmission				
			94 - Discharged/transferred to a critical access hospital (CAH) with a planned acute care hospital inpatient readmission				
			95 - Discharged/transferred to another type of health care institution not defined elsewhere in this code list with a planned acute care hospital inpatient readmission				
	This is a large	DODO (constitution of New York)	M - Missing	TI.:	1 (- -	(1)	
<strata-name></strata-name> This tag is required if the sampling type is DSRS (sample type 3). Name of the strata this patient belongs to. This name must strata defined in the header section of the XML file. If the sampling type is other than 3, this tag doesn't need to be included in patientleveldata:administration Example: <strata-name>strata one</strata-name>							
	None	This is the name of the strata the patient belongs to. You can only use one of the valid strata names defined in the header for the data element <strataname></strataname>		Alphanumeric Character	45	Yes	

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required		
<survey-status> Sub-element of</survey-status>	Each element must have a closing tag that is the same as the opening tag but with a forward slash. This administration data element should only occur once per patient. Note: It is anticipated that Survey Status should not be coded as "Missing." Example: <survey-status>10</survey-status>							
patientleveldata:administration	None	Disposition of survey.	1 - Completed survey	Alphanumeric	2	Yes		
			2 - Ineligible: Deceased	Character				
			3 - Ineligible: Not in eligible population					
			4 - Ineligible: Language barrier	1				
			5 - Ineligible: Mental/physical incapacity					
			6 - Non-response: Break off					
			7 - Non-response: Refusal					
			8 - Non-response: Non-response					
			after maximum attempts					
			9 - Non-response: Bad address					
			10 - Non-response: Bad/no phone number					
			M - Missing	-				
<survey-completion-mode> Sub-element of</survey-completion-mode>	Mixed or IVR ar corresponding to	hust have a closing tag that is the same as the opening to the Survey Status is 1 - Completed Survey or 6 - Nonto the Survey Mode defined in the header section of the X	I ag but with a forward slash.This tag i response: Break off. The values ent KML file. If the XML Element <survey< td=""><td>tered must match / Mode> is other t</td><td>a value</td><td></td></survey<>	tered must match / Mode> is other t	a value			
patientleveldata:administration		not be included in the XML file. Example: <survey-com< td=""><td>•</td><td></td><td>ı .</td><td>Ter</td></survey-com<>	•		ı .	Ter		
	None	Survey Mode used to complete a survey administered via the Mixed or IVR mode.	11 - Mixed mode-mail	Numeric	1	No, conditionally required		
			2 - Mixed mode-phone			only if Survey		
			3 - IVR mode-IVR			Mode is Mixed or		
			4 - IVR mode-phone	1		IVR and Survey		
			8 - Not applicable	1		Status is 1- Completed Survey or 6- Non-		
						response:		

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required
<pre><number-survey-attempts- telephone=""> Sub-element of patientleveldata:administration</number-survey-attempts-></pre>	Telephone Only Mode> is other	nust have a closing tag that is the same as the opening r, Active IVR or Mixed Mode with a survey completion methan Telephone only, Active IVR or Mixed Mode (phone nber-survey-attempts-telephone>1 <td>node answer of 2 - Mixed Mode - Phe), this tag does not need to be incl</td> <td>one. If the XML</td> <td>Element</td> <td></td>	node answer of 2 - Mixed Mode - Phe), this tag does not need to be incl	one. If the XML	Element	
	None		2 - Second Telephone attempt 3 - Third Telephone attempt 4 - Fourth Telephone attempt 5 - Fifth Telephone attempt	Numeric	1	No, conditionally required only if the Survey Mode is Telephone Only Mode, Active IVR Mode or Mixed Mode with survey completion mode = 2-Mixed mode-phone.
<number-survey-attempts-mail> Sub-element of patientleveldata:administration</number-survey-attempts-mail>	Mail Only. If the	nust have a closing tag that is the same as the opening a XML Element <survey mode=""> is other than Mail only, nber-survey-attempts-mail>11<td>this tag does not need to be includents-mail></td><td></td><td></td><td>No, conditionally required only if the Survey Mode is Mail Only</td></survey>	this tag does not need to be includents-mail>			No, conditionally required only if the Survey Mode is Mail Only

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required
<pre><language> Sub-element of patientleveldata:administration</language></pre>	occur once per	nust have a closing tag that is the same as the opening patient. guage>1	tag but with a forward slash. This	administration data	a elemen	t should only
patientieveldata.administration	None	Identify survey language in which the survey was administered (or attempted to be administered)	1 - English	Numeric	1	Yes
		(English, Spanish, Chinese, Russian, Vietnamese, or	2 - Spanish			
		Portuguese)	3 - Chinese			
			4 - Russian			
			5- Vietnamese			
			6 - Portuguese			
			8 - Not applicable			
<a hre<="" td=""><td>occur once per</td><td>must have a closing tag that is the same as the opening patient. Note: The Lag Time should not be coded as -time>84</td><td>s "Missing" or "888."</td><td></td><td>a Giornon</td><td>t direction of thy</td>	occur once per	must have a closing tag that is the same as the opening patient. Note: The Lag Time should not be coded as -time>84	s "Missing" or "888."		a Giornon	t direction of thy
	None	Number of days between patient's discharge date from the hospital and the date that data collection activities ended for the patient.	0-365 888 - Not applicable	Numeric	3	Yes
<supplemental-question-count></supplemental-question-count>	occur once per for every patie	must have a closing tag that is the same as the opening patient. Note: The "Supplemental Question Count" ent in the sample. pplemental-question-count>4 <td>should not be coded as "Missin</td> <td></td> <td></td> <td></td>	should not be coded as "Missin			
						Codes.

XML Element	Attributes		Valid Values	Data Type	Max Field Size	Data Element Required
<gender> Sub-element of</gender>	occur once p		s the opening tag but with a forward slash. Th	nis administration data	a elemen	t should only
patientleveldata:administration	None	Patient gender.	1 - Male	Alphanumeric	1	Yes
			2 - Female	Character		
			M - Missing			
<patient-age> Sub-element of</patient-age>	occur once p		s the opening tag but with a forward slash. Th	nis administration data	a elemen	t should only
patientleveldata:administration	None	Patient age at admission.	0 - Under 18	Alphanumeric	2	Yes
			1 - 18 to 24	Character		
			2 - 25 to 29			
			3 - 30 to 34			
			4 - 35 to 39			
			5 - 40 to 44			
			6 - 45 to 49	_		
			7 - 50 to 54			
			8 - 55 to 59			
			9 - 60 to 64			
			10 - 65 to 69			
			11 - 70 to 74			
			12 - 75 to 79			
			13 - 80 to 84			
			14 - 85 to 89			
			15 - 90 or older			
			M - Missing/Unknown			
	None		e, however, it contains no data. This adminis	tration element shoul	d only oc	cur once per
Closing tag for administration		patient.				

XML Element	Attributes	Description	Valid Values	Data Type	Max	Data
					Field	Element
A company and the first continue and an area and area		as the metions recovered and is defined as follows			Size	Required
(Note: Survey results (patient respons	e) records are r	as the <patient response=""> and is defined as follows not required for a valid data submission, however if if the final <survey-status> is "1 - Completed survey</survey-status></patient>	survey results are included then		st have a	an entry.
<patientresponse></patientresponse>		ing element of the patient response record. The closing				
		Il be one <patientresponse> section for each patient if s</patientresponse>				
Opening Tag, defines the patient		the opening and closing <patientresponse> tags and a</patientresponse>				
response data record within the patient level data record of monthly survey data		KML file only if survey results are being submitted for the se> section should not be submitted. This patient respon			or the pat	ient, the
level data record of monthly survey data	cpatienti espons	se> section should not be submitted. This patient respon	nse element should only occur once	per patient.		
	None	ln/A	N/A	NA	N/A	Yes
					, .	. • •
<nurse-courtesy-respect></nurse-courtesy-respect>		nust have a closing tag that is the same as the opening	tag but with a forward slash. This pa	tient response da	ata elem	ent should
	only occur once	·				
nationtroenoneo	Example: <nur< td=""><td>se-courtesy-respect>4</td><td></td><td></td><td></td><td></td></nur<>	se-courtesy-respect>4				
	None	Question 1: Nurses courtesy and respect	1 - Never	Alphanumeric	1	Yes
			2 - Sometimes	-Character		
			3 - Usually			
			4 - Always			
			M - Missing/Don't know			
<nurse-listen></nurse-listen>	Each element m	nust have a closing tag that is the same as the opening	tag but with a forward slash. This pa	tient response da	ata elem	ent should
	only occur once	per patient.		•		
Sub-element of patientleveldata:	Example: <nur< td=""><td>se-listen>4</td><td></td><td></td><td></td><td></td></nur<>	se-listen>4				
patientresponse	None	Question 2: Nurses listen.	1 - Never	Alphanumeric	1	Yes
			2 - Sometimes	Character		
			3 - Usually			
			,			
			4 - Always			
			M - Missing/Don't know			
			-			

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required
<pre><nurse-explain> Sub-element of patientleveldata:</nurse-explain></pre>	only occur once	must have a closing tag that is the same as the op e per patient. rse-explain>4	pening tag but with a forward slash. This pa	atient response d	lata elem	ent should
patientresponse	None	Question 3: Nurses explain.	1 - Never 2 - Sometimes	Alphanumeric Character	1	Yes
			3 - Usually 4 - Always M - Missing/Don't know			
<ali>call-button> Sub-element of patientleveldata:</ali>	only occur once	I must have a closing tag that is the same as the op e per patient. II-button>4		Latient response d	I lata elem	lent should
patientresponse	None	Question 4: Call button.	1 - Never	Alphanumeric	1	Yes
			2 - Sometimes	- Character		
			3 - Usually			
			4 - Always			
			9 - I never pressed the call button			
			M - Missing/Don't know	1		
<pre><dr-courtesy-respect> Sub-element of patientleveldata:</dr-courtesy-respect></pre>	only occur once	nust have a closing tag that is the same as the ope per patient. courtesy-respect>4	pening tag but with a forward slash. This pa	atient response d	lata elem	nent should
patientresponse	None	Question 5: Doctors courtesy and respect.	1 - Never	Alphanumeric	1	Yes
			2 - Sometimes	Character		
			3 - Usually	1		
			4 - Always	1		
			M - Missing/Don't know	┥		

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required
<pre><dr-listen> Sub-element of patientleveldata:</dr-listen></pre>	only occur onc	must have a closing tag that is the same as to e per patient. -listen>4	he opening tag but with a forward slash. Th	is patient response d	ata elem	ent should
patientresponse	None	Question 6: Doctors listen.	1 - Never	Alphanumeric	1	Yes
			2 - Sometimes	Character		
			3 - Usually			
			4 - Always			
			M - Missing/Don't know			
Sub-element of patientleveldata: patientresponse	Example: <dr< td=""><td>explain>4 Question 7: Doctors explain.</td><td>1 - Never</td><td>Alphanumeric</td><td>1</td><td>Yes</td></dr<>	explain>4 Question 7: Doctors explain.	1 - Never	Alphanumeric	1	Yes
patientresponse	•	·	Id. Nover	Alabaarmaria	1 4	lvaa.
		·	2 - Sometimes	Character		
			3 - Usually			
			4 - Always			
			M - Missing/Don't know			
<pre><cleanliness></cleanliness></pre> Sub-element of patientleveldata:	only occur onc	must have a closing tag that is the same as the per patient. eanliness>4	, and the second	is patient response d	l ata elem	ent should
patientresponse	None	Question 8: Cleanliness.	1 - Never	Alphanumeric	1	Yes
			2 - Sometimes	Character		
			3 - Usually			
			4 - Always			
			M - Missing/Don't know			

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required					
<quiet></quiet>	only occur once	Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <quiet>4</quiet>									
Sub-element of patientleveldata: patientresponse	None	Question 9: Quiet.	1 - Never	Alphanumeric	1 1	Yes					
i i	140110	Question 9. Quiet.		Character	'	163					
			2 - Sometimes								
			3 - Usually								
			4 - Always								
			M - Missing/Don't know								
Sub-element of patientleveldata: patientresponse	only occur once Example: <bar> None</bar>	Question 10: Bathroom (screener 1).	1 - Yes 2 - No M - Missing/Don't know	Alphanumeric Character	1	Yes					
<pre><bathroom-help> Sub-element of patientleveldata:</bathroom-help></pre>	only occur once	Inust have a closing tag that is the same as the per patient. hroom-help>4	•	s patient response o	lata elem	l nent should					
patientresponse	None	Question 11: Bathroom help.	1 - Never	Alphanumeric	1	Yes					
			2 - Sometimes	Character							
			3 - Usually	_							
			4 - Always								
			•								
			8 - Not applicable								
			M - Missing/Don't know								

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required					
<med-screener> Sub-element of patientleveldata:</med-screener>	only occur onc	Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <med-screener>1</med-screener>									
patientresponse	None	Question 12: Medicine (screener 2).	1 - Yes	Alphanumeric	1	Yes					
			2 - No	Character							
			M - Missing/Don't know								
<pre><pain-control> Sub-element of patientleveldata: patientresponse</pain-control></pre>	only occur onc	must have a closing tag that is the same as the e per patient. in-control>4	e opening tag but with a forward slash. Th	nis patient response d	ata elem	ent should					
patientroopense	None	Question 13: Pain controlled.	1 - Never	Alphanumeric	1	Yes					
			2 - Sometimes	Character							
			3 - Usually								
			4 - Always								
		8 - Not applicable									
			M - Missing/Don't know								
<help-pain> Sub-element of patientleveldata:</help-pain>	only occur onc	nust have a closing tag that is the same as the e per patient. p-pain>4	e opening tag but with a forward slash. Th	nis patient response d	ata elem	ent should					
patientresponse	None	Question 14: Help with pain.	1 - Never	Alphanumeric	1	Yes					
			2 - Sometimes	Character							
			3 - Usually								
			4 - Always								
			8 - Not applicable								
			M - Missing/Don't know								

Only occur once per patient. Example: <new-med-screener> None Question 15: New meds (screener 3). 1 - Yes</new-med-screener>	XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required				
Note	<new-med-screener> Sub-element of patientleveldata:</new-med-screener>	only occur once	only occur once per patient.								
Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <med-for> None Question 16: Medicine for. Question 16: Medicine for. 1 - Never 2 - Sometimes 3 - Usually 4 - Always 8 - Not applicable M - Missing/Don't know Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <med-for> Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <side-effects> None Question 17: Side effects. 1 - Never 2 - Sometimes 3 - Usually 4 - Always 3 - Usually 4 - Always 8 - Not applicable Alphanumeric Character 1 - Yes Character 1 - Never 2 - Sometimes 3 - Usually 4 - Always 8 - Not applicable</side-effects></med-for></med-for>	patientresponse	None	Question 15: New meds (screener 3).	1 - Yes		1	Yes				
Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <pre></pre>				2 - No	Character						
Only occur once per patient. Example: <med-for> 1 - Never</med-for>				M - Missing/Don't know							
Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <side-effects> None Question 17: Side effects. 1 - Never 2 - Sometimes 3 - Usually 4 - Always 1 - Never 2 - Sometimes 3 - Usually 4 - Always 3 - Usually 4 - Always 8 - Not applicable</side-effects>	<pre><med-for> Sub-element of patientleveldata:</med-for></pre>	only occur once	e per patient.	opening tag but with a forward slash. Thi	s patient response o	data elem	nent should				
2 - Sometimes 3 - Usually 4 - Always 8 - Not applicable M - Missing/Don't know Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <side-effects> None Question 17: Side effects. 1 - Never 2 - Sometimes 3 - Usually 4 - Always 8 - Not applicable Character 1 Yes</side-effects>	patientresponse	None	Question 16: Medicine for.	1 - Never		1	Yes				
Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <side-effects> None Question 17: Side effects. Question 17: Side effects. 1 - Never 2 - Sometimes 3 - Usually 4 - Always 8 - Not applicable</side-effects>				2 - Sometimes	Character						
Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <side-effects> None Question 17: Side effects. 1 - Never 2 - Sometimes 3 - Usually 4 - Always 8 - Not applicable</side-effects>				3 - Usually							
Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <side-effects> None Question 17: Side effects. 1 - Never 2 - Sometimes 3 - Usually 4 - Always 8 - Not applicable</side-effects>				4 - Always							
Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <side-effects>4</side-effects> None Question 17: Side effects. 1 - Never 2 - Sometimes 3 - Usually 4 - Always 8 - Not applicable				8 - Not applicable							
only occur once per patient. Example: <side-effects>4</side-effects> None Question 17: Side effects. 1 - Never 2 - Sometimes 3 - Usually 4 - Always 8 - Not applicable				M - Missing/Don't know							
2 - Sometimes 3 - Usually 4 - Always 8 - Not applicable	<side-effects> Sub-element of patientleveldata:</side-effects>	only occur once	e per patient.	opening tag but with a forward slash. This	s patient response o	data elem	nent should				
2 - Sometimes 3 - Usually 4 - Always 8 - Not applicable	patientresponse	None	Question 17: Side effects.	1 - Never		1	Yes				
4 - Always 8 - Not applicable				2 - Sometimes	Character						
8 - Not applicable				3 - Usually							
				4 - Always							
M - Missing/Don't know				8 - Not applicable	7						
				M - Missing/Don't know							

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required			
<pre><discharge-screener> Sub-element of patientleveldata:</discharge-screener></pre>	only occur onc	must have a closing tag that is the same as the e per patient. scharge-screener>1	e opening tag but with a forward slash. This	s patient response d	ata elem	ent should			
patientresponse	None	Question 18: Discharge (screener 4).	1 - Own home 2 - Someone else's home 3 - Another health facility M - Missing/Don't know	Alphanumeric — Character	1	Yes			
<help-after-discharge> Sub-element of patientleveldata: patientresponse</help-after-discharge>	Each element must have a closing tag that is the same as the opening tag but with a forward slash. This patient response data element should only occur once per patient. Example: <help-after-discharge>1</help-after-discharge>								
	None	Question 19: Help after discharge.	1 - Yes 2 - No 8 - Not applicable M - Missing/Don't know	Alphanumeric — Character	1	Yes			
<symptoms> Sub-element of patientleveldata:</symptoms>	only occur onc	must have a closing tag that is the same as the e per patient. mptoms>1	e opening tag but with a forward slash. This	patient response d	ata elem	ent should			
patientresponse	None	Question 20: Symptoms.	1 - Yes 2 - No 8 - Not applicable M - Missing/Don't know	Alphanumeric — Character	1	Yes			

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required
<pre><overall-rate> Sub-element of patientleveldata:</overall-rate></pre>	only occur onc		s the opening tag but with a forward slash. This	patient response d	ata elem	ent should
patientresponse	None	Question 21: Overall rating.	0 - Worst hospital possible	Alphanumeric	2	Yes
		automore and autom	1	Character		
			2	\dashv		
			3			
			4	\exists		
			5	7		
			6			
			7			
			8			
			9			
		10 - Best hospital possible				
			M - Missing/Don't know			
<pre><recommend> Sub-element of patientleveldata:</recommend></pre>	only occur onc		s the opening tag but with a forward slash. This	patient response d	ata elem	ent should
patientresponse	None	Question 22: Recommend.	1 - Definitely no	Alphanumeric	1	Yes
			2 - Probably no	— Character		
			3 - Probably yes			
			4 - Definitely yes			
			M - Missing/Don't know			

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Reguired
<ct-preferences></ct-preferences> Sub-element of patientleveldata:	only occur once	nust have a closing tag that is the same as the openin per patient. preferences>4	g tag but with a forward slash. This pa	atient response d	ata elem	ent should
patientresponse	None	Question 23: Preferences in deciding health care needs.	1 - Strongly disagree 2 - Disagree 3 - Agree	Alphanumeric Character	1	Yes
			4 - Strongly agree M - Missing/Don't know			
ct-understanding> Sub-element of patientleveldata: patientresponse	only occur once	nust have a closing tag that is the same as the opening per patient. understanding>4	g tag but with a forward slash. This pa	atient response d	ata elem	ent should
	None	Question 24: Understanding of responsibility in managing health.	1 - Strongly disagree 2 - Disagree 3 - Agree 4 - Strongly agree M - Missing/Don't know	Alphanumeric Character	1	Yes
<ct-purpose-med> Sub-element of patientleveldata:</ct-purpose-med>	only occur once	purpose-med>4	g tag but with a forward slash. This pa	atient response d	ata elem	ent should
patientresponse	None	Question 25: Purpose for taking medications.	 1 - Strongly disagree 2 - Disagree 3 - Agree 4 - Strongly agree 5 - I was not given any medication when I left the hospital M - Missing/Don't know 	Alphanumeric Character	1	Yes

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required
<pre><er-admission> Sub-element of patientleveldata:</er-admission></pre>	only occur once	nust have a closing tag that is the same as the opening e per patient. admission>4	tag but with a forward slash. This	patient response d	ata elem	ent should
patientresponse	None	Question 26: Admitted through the emergency room.	1 - Yes	Alphanumeric	1	Yes
			2 - No	Character		
			M - Missing/Don't know	7		
<pre><overall-health> Sub-element of patientleveldata: patientresponse</overall-health></pre>	only occur once	nust have a closing tag that is the same as the opening e per patient. erall-health>4	tag but with a forward slash. This	patient response d	ata elem	ent should
patientiesponse	None		1 - Excellent	Alphanumeric	1	Yes
			2 - Very good	-Character		
			3 - Good	7		
			4 - Fair			
			5 - Poor			
			M - Missing/Don't know			
<mental-health> Sub-element of patientleveldata:</mental-health>	only occur once	nust have a closing tag that is the same as the opening per patient. Intal-health>4	tag but with a forward slash. This	patient response d	ata elem	ent should
patientresponse	None Questi	Question 28: Mental health.	1 - Excellent	Alphanumeric Character	1	Yes
			2 - Very good			
			3 - Good			
			4 - Fair	1		
			5 - Poor	7		
			M - Missing/Don't know	7		

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required
<education></education>	only occur onc	e per patient.	as the opening tag but with a forward slash. This pa	atient response d	lata elem	ent should
Sub-element of patientleveldata:	Example: <ed< td=""><td>ucation>4</td><td></td><td></td><td></td><td></td></ed<>	ucation>4				
patientresponse	None	Question 29: Education.	1 - 8th grade or less	Alphanumeric	1	Yes
			2 - Some high school, but did not	Character		
			graduate			
			3 - High school graduate or GED	1		
			4 - Some college or 2-year degree	-		
			5 - 4-year college graduate	-		
			6 - More than 4-year college	1		
			degree			
			M - Missing/Don't know	1		
<ethnic></ethnic>	Each element only occur once		as the opening tag but with a forward slash. This pa	atient response d	lata elem	ent should
Sub-element of patientleveldata:		hnic>1				
patientresponse	None		1 - No, not	Alphanumeric	l 1	Yes
	None	Question 30: Ethnicity.	Spanish/Hispanic/Latino	Character	'	162
			2 - Yes, Puerto Rican			
			3 - Yes, Mexican, Mexican			
			American, Chicano			
			4 - Yes, Cuban			
			5 - Yes, other	1		
			Spanish/Hispanic/Latino			
			M - Missing/Don't know]		

Page 29 of 31

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required
<race-white> Sub-element of patientleveldata: patientresponse</race-white>	only occur once Example: <rac< b=""> If the check box If the check box</rac<>	must have a closing tag that is the same as the opening e per patient. ee-white>1 for the race 'White' is selected, enter value '1' for this for the race 'White' is not selected (and at least one of the check boxes for the race question are selected on the su	data element other check box for race is selected),	enter value '0' fo	or this dat	a element
	None	Question 31: Race, White.	1 - White	Alphanumeric	1	Yes
			0 - Not White	Character		
			M - Missing/Don't know			
patientresponse	If the check box for this data ele If none of the c elements	heck boxes for the race question are selected on the su	ted (and at least one other check box urvey, enter the value 'M' for this data	a element and for	•	race data
	None	Question 31: Race, African-American.	Black or African-American Not Black or African-American	Alphanumeric Character	1	Yes
			M - Missing/Don't know	-		
<race-asian> Sub-element of patientleveldata: patientresponse</race-asian>	only occur once Example: <rac< b=""> If the check box If the check box</rac<>	must have a closing tag that is the same as the opening e per patient. ce-asian>0 x for the race 'Asian' is selected, enter value '1' for this x for the race 'Asian' is not selected (and at least one of the boxes for the race question are selected on the sufficient of the selected (and at least one of the boxes for the race question are selected on the sufficient of the selected on the selected o	data element ther check box for race is selected), urvey, enter the value 'M' for this data 1 - Asian	enter value '0' fo	r this data	a element
			0 - Not Asian M - Missing/Don't know	- Character		

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	
<pre><race-hi-pacific-islander> Sub-element of patientleveldata: patientresponse</race-hi-pacific-islander></pre>	only occur once Example: <rac< b=""> If the check box</rac<>	nust have a closing tag that is the same as the opening e per patient. e-hi-pacific-islander>0 for the race 'Native Hawaiian or Pacific Islander' is so for the race 'Native Hawaiian or Pacific Islander' is referred.	selected, enter value '1' for this data	element		
	value '0' for this If none of the ch elements	data element neck boxes for the race question are selected on the su	rvey, enter the value 'M' for this data	a element and for	all other	race data
	None	Question 31: Race, Pacific Islander.	1 - Native Hawaiian or Pacific Islander	Alphanumeric Character	1	Yes
			0 - Not Native Hawaiian or Pacific Islander	1		
			M - Missing/Don't know	<u> </u>		
<race-amer-indian-ak></race-amer-indian-ak>	only occur once	·	tag but with a forward slash. This pa	atient response d	ata elem	ent should
Sub-element of patientleveldata: patientresponse	If the check box If the check box value '0' for this	e-amer-indian-ak>0 c for the race 'American Indian or Alaska native' is selector the race 'American Indian or Alaska native' is not a data element the character on the race question are selected on the su	t selected (and at least one other ch	eck box for race		,
	None	Question 31: Race, American Indian/Alaska Native.	1 - American Indian or Alaska native 0 - Not American Indian or Alaska native	Alphanumeric Character	1	Yes
			M - Missing/Don't know			

XML Element	Attributes	Description	Valid Values	Data Type	Max Field Size	Data Element Required
<pre><language-speak></language-speak></pre> Sub-element of patientleveldata:	only occur once	nust have a closing tag that is the same as the opening per patient. guage-speak>1	tag but with a forward slash. This p	atient response d	ata elem	ent should
patientresponse	None		1 - English	Alphanumeric	1	Yes
			2 - Spanish	- Character		
			3 - Chinese			
			4 - Russian			
			5 - Vietnamese			
			6 - Portuguese			
			9 - Some other language			
			M - Missing/Don't know			
<pre> Closing tag for patientresponse</pre>	None	Note: This tag is required in the XML file, however, it per patient.	contains no data. This patient resp	onse element sho	ould only	occur once
<pre> Closing tag for patientleveldata</pre>	None	Note: This tag is required in the XML file, however, it per patient.	contains no data. This patient leve	l data element sh	ould only	occur once
<pre> Closing tag, defines the monthly survey data</pre>	None	Note: This tag is required in the XML file, however, it patient.	contains no data. This monthly dat	a element should	only occ	ur once per

Sample XML File Layout without DSRS V3.9

```
- <monthlydata xmlns="http://hcahps.ifmc.org"
    xmlns:xsi="http://www.w3.org/2017/XMLSchema-instance">
  - <header>
     provider-name>Some Hospital/provider-name>
     cprovider-id>160035/provider-id>
     <npi>1234567893</npi>
     <discharge-yr>2017</discharge-yr>
     <discharge-month>7</discharge-month>
     <survey-mode>1/survey-mode>
      <determination-of-service-line>1</determination-of-service-line>
     <number-eligible-discharge>100</number-eligible-discharge>
     <sample-size>35</sample-size>
     <sample-type>2</sample-type>
   </header>
  - <patientleveldata>
    - <administration>
        orovider-id>
        <discharge-yr>2017</discharge-yr>
        <discharge-month>7</discharge-month>
        <patient-id>12345</patient-id>
        <admission-source>1</admission-source>
        <principal-reason-admission>3</principal-reason-admission>
        <discharge-status>1</discharge-status>
       <survey-status>1</survey-status>
        <number-survey-attempts-mail>1</number-survey-attempts-mail>
        <language>1
        <lag-time>10</lag-time>
        <supplemental-question-count>4</supplemental-question-count>
        <gender>1</gender>
        <patient-age>1</patient-age>
     </administration>
    - <patientresponse>
        <nurse-courtesy-respect>1</nurse-courtesy-respect>
       <nurse-listen>1</nurse-listen>
        <nurse-explain>1/nurse-explain>
        <call-button>1</call-button>
       <dr-courtesy-respect>1</dr-courtesy-respect>
        <dr-listen>1</dr-listen>
       <dr-explain>1</dr-explain>
       <cleanliness>1</cleanliness>
        <quiet>1</quiet>
       <bathroom-screener>1</bathroom-screener>
        <bathroom-help>1</bathroom-help>
        <med-screener>1</med-screener>
```

```
<pain-control>1</pain-control>
     <help-pain>1</help-pain>
     <new-med-screener>1</new-med-screener>
     <med-for>1</med-for>
     <side-effects>1</side-effects>
     <discharge-screener>1</discharge-screener>
     <help-after-discharge>1</help-after-discharge>
     <symptoms>1</symptoms>
     <overall-rate>1</overall-rate>
     <recommend>1</recommend>
      <ct-preferences>1</ct-preferences>
      <ct-understanding>1</ct-understanding>
      <ct-purpose-med>1</ct-purpose-med>
      <er-admission>1</er-admission>
      <overall-health>1</overall-health>
      <mental-health>1</mental-health>
     <education>1</education>
     <ethnic>1</ethnic>
     <race-white>1</race-white>
     <race-african-amer>0</race-african-amer>
     <race-asian>0</race-asian>
     <race-hi-pacific-islander>0</race-hi-pacific-islander>
     <race-amer-indian-ak>0</race-amer-indian-ak>
     <language-speak>1/language-speak>
   </patientresponse>
 </patientleveldata>
- <patientleveldata>
  - <administration>
     ovider-id>160035/provider-id>
     <discharge-yr>2017</discharge-yr>
     <discharge-month>7</discharge-month>
     <patient-id>24556</patient-id>
     <admission-source>1</admission-source>
     <principal-reason-admission>3</principal-reason-admission>
     <discharge-status>1</discharge-status>
     <survey-status>1</survey-status>
     <number-survey-attempts-mail>1</number-survey-attempts-mail>
     <language>1
     <lag-time>10</lag-time>
      <supplemental-question-count>4</supplemental-question-count>
     <gender>1</gender>
     <patient-age>1</patient-age>
   </administration>
  - <patientresponse>
     <nurse-courtesy-respect>1</nurse-courtesy-respect>
     <nurse-listen>1</nurse-listen>
```

```
<nurse-explain>1/nurse-explain>
      <call-button>1</call-button>
      <dr-courtesy-respect>1</dr-courtesy-respect>
      <dr-listen>1</dr-listen>
      <dr-explain>1</dr-explain>
      <cleanliness>1</cleanliness>
      <quiet>1</quiet>
      <bathroom-screener>1</bathroom-screener>
      <bathroom-help>1
      <med-screener>1</med-screener>
      <pain-control>1</pain-control>
      <help-pain>1</help-pain>
      <new-med-screener>1</new-med-screener>
      <med-for>1</med-for>
      <side-effects>1</side-effects>
      <discharge-screener>1</discharge-screener>
      <help-after-discharge>1</help-after-discharge>
      <symptoms>1</symptoms>
      <overall-rate>1</overall-rate>
      <recommend>1</recommend>
       <ct-preferences>1</ct-preferences>
       <ct-understanding>1</ct-understanding>
       <ct-purpose-med>1</ct-purpose-med>
       <er-admission>1</er-admission>
       <overall-health>1</overall-health>
       <mental-health>1</mental-health>
      <education>1</education>
      <ethnic>1</ethnic>
      <race-white>1</race-white>
      <race-african-amer>0</race-african-amer>
      <race-asian>0</race-asian>
      <race-hi-pacific-islander>0</race-hi-pacific-islander>
      <race-amer-indian-ak>0</race-amer-indian-ak>
      <language-speak>1</language-speak>
    </patientresponse>
  </patientleveldata>
</monthlydata>
```

Sample XML File Layout with DSRS V3.9

```
- <monthlydata xmlns="http://hcahps.ifmc.org"
    xmlns:xsi="http://www.w3.org/2017/XMLSchema-instance">
  - <header>
     provider-name>Some Hospital/provider-name>
     cprovider-id>160035/provider-id>
     <npi>1234567893</npi>
     <discharge-yr>2017</discharge-yr>
     <discharge-month>7</discharge-month>
     <survey-mode>1</survey-mode>
      <determination-of-service-line>1</determination-of-service-line>
     <number-eligible-discharge>700</number-eligible-discharge>
     <sample-size>600</sample-size>
     <sample-type>3</sample-type>
    - <dsrs-strata>
        <strata-name>strata one</strata-name>
        <dsrs-eligible>250</dsrs-eligible>
        <dsrs-samplesize>240</dsrs-samplesize>
     </dsrs-strata>
    - <dsrs-strata>
        <strata-name>strata two</strata-name>
        <dsrs-eligible>240</dsrs-eligible>
        <dsrs-samplesize>240</dsrs-samplesize>
     </dsrs-strata>
    - <dsrs-strata>
        <strata-name>strata three</strata-name>
        <dsrs-eligible>210</dsrs-eligible>
        <dsrs-samplesize>120</dsrs-samplesize>
     </dsrs-strata>
   </header>
  - <patientleveldata>
    - <administration>
        ovider-id>160035/provider-id>
        <discharge-yr>2017</discharge-yr>
        <discharge-month>7</discharge-month>
        <patient-id>12345</patient-id>
        <admission-source>1</admission-source>
        <principal-reason-admission>3</principal-reason-admission>
        <discharge-status>1</discharge-status>
        <strata-name>strata one</strata-name>
        <survey-status>1</survey-status>
        <number-survey-attempts-mail>1</number-survey-attempts-mail>
        <language>1
        <lag-time>10</lag-time>
        <supplemental-question-count>4</supplemental-question-count>
```

```
<gender>1</gender>
      <patient-age>1</patient-age>
   </administration>
  - <patientresponse>
     <nurse-courtesy-respect>1</nurse-courtesy-respect>
     <nurse-listen>1</nurse-listen>
     <nurse-explain>1/nurse-explain>
     <call-button>1</call-button>
     <dr-courtesy-respect>1</dr-courtesy-respect>
     <dr-listen>1</dr-listen>
     <dr-explain>1</dr-explain>
     <cleanliness>1</cleanliness>
     <quiet>1</quiet>
     <bathroom-screener>1</bathroom-screener>
     <bathroom-help>1</bathroom-help>
     <med-screener>1</med-screener>
     <pain-control>1</pain-control>
     <help-pain>1</help-pain>
     <new-med-screener>1</new-med-screener>
     <med-for>1</med-for>
     <side-effects>1</side-effects>
     <discharge-screener>1</discharge-screener>
     <help-after-discharge>1</help-after-discharge>
     <symptoms>1</symptoms>
     <overall-rate>1</overall-rate>
      <recommend>1</recommend>
      <ct-preferences>1</ct-preferences>
      <ct-understanding>1</ct-understanding>
      <ct-purpose-med>1</ct-purpose-med>
      <er-admission>1</er-admission>
      <overall-health>1</overall-health>
      <mental-health>1</mental-health>
     <education>1</education>
     <ethnic>1</ethnic>
     <race-white>1</race-white>
     <race-african-amer>0</race-african-amer>
     <race-asian>0</race-asian>
     <race-hi-pacific-islander>0</race-hi-pacific-islander>
     <race-amer-indian-ak>0</race-amer-indian-ak>
     <language-speak>1</language-speak>
   </patientresponse>
 </patientleveldata>
- <patientleveldata>
  - <administration>
     ovider-id>160035/provider-id>
     <discharge-yr>2017</discharge-yr>
```

```
<discharge-month>7</discharge-month>
   <patient-id>22256</patient-id>
   <admission-source>1</admission-source>
   <principal-reason-admission>3</principal-reason-admission>
   <discharge-status>1</discharge-status>
   <strata-name>strata two</strata-name>
   <survey-status>1</survey-status>
   <number-survey-attempts-mail>1</number-survey-attempts-mail>
   <language>1</language>
   <lag-time>10</lag-time>
   <supplemental-question-count>4</supplemental-question-count>
   <gender>1</gender>
   <patient-age>1</patient-age>
  </administration>
- <patientresponse>
   <nurse-courtesy-respect>1</nurse-courtesy-respect>
   <nurse-listen>1</nurse-listen>
   <nurse-explain>1/nurse-explain>
   <call-button>1</call-button>
   <dr-courtesy-respect>1</dr-courtesy-respect>
   <dr-listen>1</dr-listen>
   <dr-explain>1</dr-explain>
   <cleanliness>1</cleanliness>
   <quiet>1</quiet>
   <bathroom-screener>1</bathroom-screener>
   <bathroom-help>1</bathroom-help>
   <med-screener>1</med-screener>
   <pain-control>1</pain-control>
   <help-pain>1</help-pain>
   <new-med-screener>1</new-med-screener>
   <med-for>1</med-for>
   <side-effects>1</side-effects>
   <discharge-screener>1</discharge-screener>
   <help-after-discharge>1</help-after-discharge>
   <symptoms>1</symptoms>
   <overall-rate>1</overall-rate>
   <recommend>1</recommend>
   <ct-preferences>1</ct-preferences>
   <ct-understanding>1</ct-understanding>
   <ct-purpose-med>1</ct-purpose-med>
   <er-admission>1</er-admission>
   <overall-health>1</overall-health>
   <mental-health>1</mental-health>
   <education>1</education>
   <ethnic>1</ethnic>
   <race-white>1</race-white>
```

```
<race-african-amer>0</race-african-amer>
     <race-asian>0</race-asian>
     <race-hi-pacific-islander>0</race-hi-pacific-islander>
     <race-amer-indian-ak>0</race-amer-indian-ak>
     <language-speak>1</language-speak>
   </patientresponse>
 </patientleveldata>
- <patientleveldata>
  - <administration>
     orovider-id>
     <discharge-yr>2017</discharge-yr>
     <discharge-month>7</discharge-month>
     <patient-id>12666</patient-id>
     <admission-source>1</admission-source>
     <principal-reason-admission>3</principal-reason-admission>
     <discharge-status>1</discharge-status>
     <strata-name>strata three</strata-name>
     <survey-status>1</survey-status>
     <number-survey-attempts-mail>1</number-survey-attempts-mail>
     <language>1</language>
     <supplemental-question-count>4</supplemental-question-count>
      <gender>1</gender>
      <patient-age>1</patient-age>
    </administration>
  - <patientresponse>
     <nurse-courtesy-respect>1/nurse-courtesy-respect>
     <nurse-listen>1</nurse-listen>
     <nurse-explain>1/nurse-explain>
     <call-button>1</call-button>
     <dr-courtesy-respect>1</dr-courtesy-respect>
     <dr-listen>1</dr-listen>
     <dr-explain>1</dr-explain>
     <cleanliness>1</cleanliness>
     <quiet>1</quiet>
     <bathroom-screener>1</bathroom-screener>
     <bathroom-help>1</bathroom-help>
     <med-screener>1</med-screener>
     <pain-control>1</pain-control>
     <help-pain>1</help-pain>
     <new-med-screener>1</new-med-screener>
     <med-for>1</med-for>
     <side-effects>1</side-effects>
     <discharge-screener>1</discharge-screener>
     <help-after-discharge>1</help-after-discharge>
     <symptoms>1</symptoms>
     <overall-rate>1</overall-rate>
```

```
<recommend>1</recommend>
       <ct-preferences>1</ct-preferences>
       <ct-understanding>1</ct-understanding>
       <ct-purpose-med>1</ct-purpose-med>
       <er-admission>1
       <overall-health>1</overall-health>
       <mental-health>1</mental-health>
      <education>1</education>
      <ethnic>1</ethnic>
      <race-white>1</race-white>
      <race-african-amer>0</race-african-amer>
      <race-asian>0</race-asian>
      <race-hi-pacific-islander>0</race-hi-pacific-islander>
      <race-amer-indian-ak>0</race-amer-indian-ak>
      <language-speak>1/language-speak>
    </patientresponse>
  </patientleveldata>
</monthlydata>
```